

Harco Fittings LLC Price List

Molded PVC Gasketed Fittings for PVC IPS Pressure Pipe



ENGINEERED FOR DURABILITY

Harco Fittings LLC Price List

Molded PVC Gasketed Fittings for PVC IPS Pressure Pipe

Table of Contents

Couplings	1
Caps and Plugs	1
Tee and Reducer	2
Bends	2
Adapters	3
Service Tees	4
ACME Tee and Tapped Cap	4
Gaskets	4
Crosses	4
Conditions of Sale	<i>(Back Cover)</i>

These fittings are for use with IPS diameter PVC pipe made to ASTM D2241, ASTM D1785, ASTM D2665 and any other PVC pipe made to IPS diameters.

WARNING: Frequent or severe cyclical pressure surges (WATER HAMMER) can destroy PVC fittings. Where such conditions may exist, HARCO DEEP BELL DUCTILE IRON FITTINGS for IPS size PVC pipe should be considered. HARCO DEEP BELL DUCTILE IRON FITTINGS for IPS diameters are available in sizes 1½" through 12".

MA Style: These fittings use Sch 40 PVC fittings. Sch 40 PVC fittings do not have a long term pressure rating. See ASTM D2466. Use of these fittings in pressure systems is at user's risk.

NOTE: The use of anything but properly designed and installed thrust blocks or mechanical joint restraint products will reduce the life of plastic fittings. Thrust blocks must be of poured concrete only and sized for the soil conditions.


Harco Fittings LLC Price List

Molded PVC Gasketed Fittings for PVC IPS Pressure Pipe


Short Form Specifications - PVC fittings shall be gasketed push joint for IPS diameter PVC pipe. Fittings shall be SDR 21 thickness. PVC material shall be cell class 12454 per ASTM D1784. Fittings shall be 200 psi rated complying with ASTM D3139 and NSF 14 listed. Gaskets shall be SBR per ASTM F477. Fittings shall be NSF61 listed for potable water use. Fittings shall be made in the United States.

FREIGHT — F.O.B. Lynchburg, Virginia


REPAIR COUPLING (No Stop) Knock-On Style (G x G)					
SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
1½	109-015	24	12	M	\$34.35
2	109-020	24	19	M	\$37.70
2½	109-025	24	26	M	\$41.45
3	109-030	24	38	M	\$51.87
4	109-040	12	40	M	\$93.28
5	109-050	6	26	M	\$152.32
6	109-060	6	41	M	\$163.94
8	109-080	4	39	M	\$337.69
10	109-100	1	14	C	\$625.34
12	109-120	1	22	C	\$923.45



LINE COUPLING (With Stop) (G x G)					
SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
1½	108-015	24	127	M	\$31.14
2	108-020	24	17	M	\$31.75
2½	108-025	24	22	M	\$34.35
3	108-030	24	38	M	\$43.40
4	108-040	12	39	M	\$79.04
6	108-060	6	42	M	\$120.51
8	108-080	6	62	M	\$262.42
10	108-100	1	11	C	\$347.51
12	108-120	1	17	C	\$453.72



CAP (Gasket)					
SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
1½	149-015	1	0.5	MA	\$36.30
2	149-020	12	6	M	\$40.15
2½	149-025	1	1	MA	\$62.27
3	149-030	1	1.4	MA	\$66.72
4	149-040	1	3	MA	\$137.37
5	149-050	1	4	MA	\$245.00
6	149-060	1	7	MA	\$313.05



PLUG (Spigot)					
SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
1½	144-015	1	0.2	MA	\$29.89
2	144-020	12	2	M	\$29.89
2½	144-025	12	9	M	\$30.48
3	144-030	12	5	M	\$38.96
4	144-040	12	10	M	\$83.01
6	144-060	12	28	M	\$117.94
8	144-080	4	15	M	\$200.18



- These fittings are for use with IPS diameter PVC pipe made to ASTM D2241, ASTM D1785, ASTM D2665 and any other PVC pipe made to IPS diameters.


- The fitting bodies and gaskets are made in the United States from raw materials made in the United States.

STYLE LEGEND:	
C	Machined from extruded stock as manufactured by Certain-Teed Corp
MA	Assembled from molded or extruded components (See pressure rating warning for "MA Style")
M	One-Piece Molded

Harco Fittings LLC Price List

Molded PVC Gasketed Fittings for PVC IPS Pressure Pipe


TEE



(G x G x G)

SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
1½ x 1½	112-150	12	12	M	\$78.47
2 x 1½	112-215	12	15	M	\$92.69
2 x 2	112-220	12	18	M	\$92.69
2½ x 1½	112-251	1	3	A	\$103.04
2½ x 2	112-252	12	21	M	\$103.04
2½ x 2½	112-255	12	22	M	\$103.04
3 x 1½	112-315	1	3	A	\$108.88
3 x 2	112-320	12	32	M	\$108.88
3 x 2½	112-325	12	38	M	\$108.88
3 x 3	112-330	12	34	M	\$108.88
4 x 2	112-420	12	56	M	\$167.84
4 x 2½	112-425	12	57	M	\$167.84
4 x 3	112-430	12	59	M	\$167.84
4 x 4	112-440	21	67	M	\$170.90
5 x 5	112-550	2	22	MA	\$375.89
6 x 2	112-620	1	7	A	\$375.89
6 x 3	112-630	4	33	M	\$375.89
6 x 4	112-640	4	43	M	\$375.89
6 x 6	112-660	4	48	M	\$375.89
8 x 4	112-840	2	37	M	\$634.40
8 x 6	112-860	2	39	M	\$649.31
8 x 8	112-880	2	43	M	\$664.17


90° BEND



(G x G)

SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
1½	118-015	12	7	M	\$68.65
2	118-020	12	10	M	\$49.29
2½	118-025	12	15	M	\$56.38
3	118-030	12	22	M	\$71.29
4	118-040	12	46	M	\$121.83
5	118-050	12	46	MA	\$223.60
6	118-060	4	36	M	\$223.60
8	118-080	4	64	M	\$436.08


45° BEND



(G x G)

SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
1½	122-015	1	0.9	MA	\$68.65
2	122-020	12	10	M	\$49.29
2½	122-025	12	14	M	\$56.38
3	122-030	12	20	M	\$71.29
4	122-040	12	41	M	\$121.83
6	122-060	4	33	M	\$223.60
8	122-080	4	53	M	\$436.08


REDUCER - SEB



(S x G)

SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
2 x 1½	116-215	12	8	M	\$44.03
2½ x 2	116-252	12	10	M	\$50.60
3 x 2	116-320	12	12	M	\$60.32
3 x 2½	116-325	12	16	M	\$63.51
4 x 2	116-420	12	18	M	\$70.00
4 x 2½	116-425	12	22	M	\$73.32
4 x 3	116-430	12	23	M	\$73.32
5 x 4	116-540	1	4	MA	\$149.02
6 x 3	116-630	4	14	M	\$132.21
6 x 4	116-640	12	33	M	\$201.56
6 x 5	116-650	1	4	M	\$241.67
8 x 6	116-860	4	22	M	\$342.21


22½° BEND



(G x G)

SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
2	124-020	1	1	MA	\$172.32
3	124-030	1	3	MA	\$238.56
4	124-040	1	5	MA	\$319.80
6	124-060	1	11	MA	\$418.94

11¼° BEND



(G x G)

SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
2	126-020	1	2	MA	\$135.30
3	126-030	1	3	MA	\$199.55
4	126-040	1	5	MA	\$245.15
6	126-060	1	11	MA	\$390.15

STYLE LEGEND:


A	Assembled using one-piece molded fitting with MIPT x Gasket Adapter or Sipogt Adapter for branch or bell
MA	Assembled from molded or extruded components (See pressure rating warning for "MA Style")
M	One-Piece Molded

Harco Fittings LLC Price List

Molded PVC Gasketed Fittings for PVC IPS Pressure Pipe

GASKET x SPIGOT ADAPTER


(G x S)



SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
1½	130-015	12	4	M	\$35.65
2	130-020	12	6	M	\$36.30
2½	130-025	12	9	M	\$41.45
3	130-030	12	13	M	\$51.21
4	130-040	1	2	M	\$91.44
5	130-050	1	3	M	\$133.50
6	130-060	1	4	M	\$133.50

GASKET x FEMALE NPT ADAPTER


(G x FNPT)



SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
1½	132-015	1	0.5	MA	\$37.70
2	132-020	1	0.7	MA	\$41.45
2½	132-025	1	1.2	MA	\$53.13
3	132-030	1	1.5	MA	\$77.73
4	132-040	1	3	MA	\$102.39
5	132-050	1	5	MA	\$194.43
6	132-060	1	6	MA	\$281.20

GASKET x MALE NPT ADAPTER


(G x MNPT)



SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
1½	131-015	12	6	M	\$44.75
2	131-020	12	6	M	\$48.68
2½	131-025	12	14	M	\$57.62
3	131-030	12	18	M	\$74.53
4	131-040	6	17	MA	\$119.90
5	131-050	6	17	MA	\$234.03
6	131-060	6	41	MA	\$234.03

PLAIN END x MALE NPT ADAPTER

(PE x MNPT)




SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
1½	133-015	12	3	MA	\$24.57
2	133-020	12	3	M	\$33.03
2½	133-025	12	9	MA	\$34.35
3	133-030	12	15	MA	\$43.40
4	133-040	6	12	MA	\$64.16
6	133-060	4	21	MA	\$135.44

1½" - 4" adapters are also available in HARCO Ductile Iron

GASKET x FLANGE ADAPTER

(G x F)



SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
1½	154-015	1	0.8	MA	\$68.05
2	154-020	1	1.2	MA	\$64.83
2½	154-025	1	1.7	MA	\$137.37
3	154-030	1	2.4	MA	\$132.21
4	154-040	1	6	MA	\$283.17
6	154-060	1	12	MA	\$449.77
8	154-080	1	20	MA	\$636.43

NON-PRESSURE WYE

(G x G x G)



SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
3 x 3	101-0303	1	5	MA	\$144.88
4 x 3	101-0403	4	15	M	\$183.78
4 x 4	101-0404	4	18.6	M	\$289.66
6 x 3	101-0603	4	27	M	\$320.66

All Wyes are non-pressure regardless of "STYLE".

STYLE LEGEND:


MA	Assembled from molded or extruded components (See pressure rating warning for "MA Style")
M	One-Piece Molded

Harco Fittings LLC Price List

Molded PVC Gasketed Fittings for PVC IPS Pressure Pipe

SERVICE TEE

Tapered NPT Thread
(G x G x FNPT)




SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
1½ x ¾	151-153	1	0.9	HB	\$69.52
1½ x 1	151-154	1	0.9	HB	\$69.52
1½ x 1¼	151-155	1	0.9	M	\$69.52
2 x ½	151-202	12	16	HB	\$54.21
2 x ¾	151-203	12	18	M	\$54.21
2 x 1	151-204	12	18	M	\$54.21
2 x 1¼	151-205	12	20	M	\$54.21
2 x 1½	151-206	12	20	M	\$54.21
2½ x ½	151-252	12	20	HB	\$72.48
2½ x ¾	151-253	12	20	HB	\$72.48
2½ x 1	151-254	12	27	M	\$72.48
2½ x 1¼	151-255	12	26	M	\$72.48
2½ x 1½	151-256	12	28	M	\$72.48
2½ x 2	151-258	12	25	M	\$72.48
3 x ½	151-302	12	36	HB	\$97.24
3 x ¾	151-303	12	33	HB	\$97.24
3 x 1	151-304	12	32	M	\$97.24
3 x 1¼	151-305	12	31	M	\$97.24
3 x 1½	151-306	12	31	M	\$97.24
3 x 2	151-308	12	30	M	\$108.99
4 x ½	151-402	8	32	HB	\$126.06
4 x ¾	151-403	8	32	HB	\$126.06
4 x 1	151-404	8	31	M	\$126.06
4 x 1¼	151-405	8	31	M	\$126.06
4 x 1½	151-406	8	31	M	\$126.06
4 x 2	151-408	8	30	M	\$126.06
6 x ½	151-602	6	45	HB	\$162.03
6 x ¾	151-603	6	37	HB	\$162.03
6 x 1	151-604	6	37	HB	\$162.03
6 x 1¼	151-605	6	43	M	\$162.03
6 x 1½	151-606	6	43	M	\$162.03
6 x 2	151-608	6	42	M	\$162.03

Last digit of Part Number denotes tap size in ¼" increments.
8", 10" and 12" Service Tees available in HARCO Ductile Iron.

ACME SERVICE TEE

315psi Pressure Rated
(G x G x ACME)




SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
2 x 1	153-204	16	17	M	\$54.21
2 x 1¼	153-205	16	17	M	\$54.21
2 x 1½	153-206	16	17	M	\$54.21
2½ x 1	153-254	16	35	M	\$72.48
2½ x 1¼	153-255	16	29	M	\$72.48
2½ x 1½	153-256	16	24	M	\$72.48
3 x 1	153-304	16	44	M	\$97.24
3 x 1¼	153-305	16	43	M	\$97.24
3 x 1½	153-306	16	42	M	\$97.24

Outlet fits all brands of single O-Ring ACME inlet swing joints.
2", 2½", 3" and 4" ACME service tees and ACME x NPT adapters are available in HARCO Ductile Iron.

ACME S/O TAPT CAP

315psi Pressure Rated
(H x ACME)



SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
2 x 1½	147-206	16	13	M	\$22.34
2½ x 1½	147-256	16	19	M	\$34.20

REPLACEMENT HARCO PRESSURE GASKET




SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
1½	195-015	1	0.1	M	\$7.79
2	195-020	1	0.1	M	\$8.48
2½	195-025	1	0.1	M	\$11.02
3	195-030	1	0.1	M	\$15.51
4	195-040	1	0.2	M	\$21.99
6	195-060	1	0.3	M	\$29.17
8	195-080	1	0.3	M	\$35.65

Nitrile gaskets available for oil resistance; call for prices and availability

CROSS

(G x G x G x G)



SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
1½	172-015	1	1.7	MA	\$138.67
2	172-020	1	2.6	MA	\$168.55
2½	172-025	1	4	MA	\$248.85
3	172-030	1	5.3	MA	\$275.43
4	172-040	1	7	MA	\$622.09

STYLE LEGEND:

MA	Assembled from molded or extruded components (See pressure rating warning for "MA Style")
HB	One-Piece Molded, with outlet reduced by use of thread x thread bushing
M	One-Piece Molded

Harco Fittings LLC Price List

Molded PVC Gasketed Fittings for PVC IPS Pressure Pipe

WARNING: Frequent or severe cyclical pressure surges (WATER HAMMER) can destroy PVC fittings. Where such conditions may exist, HARCO DEEP BELL DUCTILE IRON FITTINGS for IPS size PVC pipe should be considered. HARCO DEEP BELL DUCTILE IRON FITTINGS for IPS diameters are available in sizes 1½" through 12".

MA Style: These fittings use Sch 40 PVC fittings. Sch 40 PVC fittings do not have a long term pressure rating. See ASTM D2466. Use of these fittings in pressure systems is at user's risk.

NOTE: The use of anything but properly designed and installed thrust blocks or mechanical joint restraint products will reduce the life of plastic fittings. Thrust blocks must be of poured concrete only and sized for the soil conditions.

Harco Fittings LLC Price List

Molded PVC Gasketed Fittings for PVC IPS Pressure Pipe

Conditions of Sale

RETURNS: All returned merchandise must have authorization from Harco. Returned merchandise will only be accepted within one (1) year of the date of invoice. Merchandise must be in new and marketable condition. Freight charges on authorized returns must be prepaid and a restocking charge will be made except for returns resulting from shipping errors on our part or material proven to be defective.

CLAIMS: All claims for damage or shortage in transit shall be handled with the carrier by the consignee.

LIMITED GUARANTEE: The Harrington Corporation (Seller) guarantees to credit against invoice price or, at its option, to furnish, but not to install, replacement parts of like kind, F.O.B. Seller's manufacturing plant of origin, any item of its manufacture proved to be defective in material or workmanship within one (1) year from date of shipment provided Buyer (or Purchaser) gives immediate written notice of such alleged defect and, if required, returns defective item to Seller's Lynchburg, Virginia plant freight prepaid. Items or components not of Seller's manufacture are not included in the foregoing guarantee but are subject only to any warranty of their respective manufacturers. Seller shall not be liable for the cost of any repairs or work done or materials used by the Buyer because of defective or non-conforming items, unless authorized in writing by Seller. IN NO EVENT SHALL SELLER BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES CAUSED BY BREACH OF THIS GUARANTEE unless applicable federal or state law forbids exclusion of incidental or consequential damages.

WARRANTIES: EXCEPT FOR THE ABOVE "GUARANTEE," SELLER MAKES NO EXPRESS WARRANTIES AND NO IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE AS TO PRODUCTS SOLD BY US, UNLESS APPLICABLE FEDERAL OR STATE LAW FORBIDS SUCH DISCLAIMER OF WARRANTIES. TO THE EXTENT THAT APPLICABLE FEDERAL OR STATE LAW FORBIDS THE DISCLAIMER OF IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE, SUCH IMPLIED WARRANTIES ARE LIMITED TO THE SAME DURATION (ONE YEAR) AS SELLER'S ABOVE GUARANTEE. NO WAIVER, ALTERATION, OR MODIFICATION OF THIS DISCLAIMER OF WARRANTIES SHALL BE VALID UNLESS MADE IN WRITING AND SIGNED BY AN EXECUTIVE OFFICER OF SELLER.

PRICES: Subject to change without notice. Possession of price sheets does not constitute an obligation to sell and orders may be refused without cause.

SUITABILITY: Contact with corrosive soils or carried water may require the use of protective measures for metallic components. It is the responsibility of the Buyer to determine both the need for protective measures and type of protective measures required. Buyer is solely responsible for the effectiveness of protective measures used.



ENGINEERED FOR DURABILITY