

## **Table of Contents**

Tees	1
Gaskets	1
Bends	2 - 3
Reducers	3
Couplings	3
Plugs	4
Tapped Tees	4
Caps	4
Conditions of Sale	.(Back Cover)

### **CAUTION:**

- At a minimum, when these products are used in a gravity sewer system, installation per ASTM D2321 and the PVC Pipe Association (Uni-Bell) should be followed.
- Sewer service laterals are to be installed at an angle of no more than 45° from the horizontal unless provisions are made to prevent loads and displacements from differential settlement to be applied to the pipe and fittings. Failure of a fitting in a service lateral whose rise at any point is greater than 45° indicates inadequate provisions and/or inadequate construction of the provisions.
- All joints including, mating pipe and fittings must be straight and aligned with no angular joint deflection. Bending of the pipe for any reason is prohibited.

Harco Fittings LLC gasketed C907 fittings are for use on Cast Iron OD PVC pipe made to AWWA C900. These fittings are molded PVC pressure fittings that are "Pressure Class 235psi" complying with AWWA C907 and NSF61. These fittings are manufactured by IPEX Inc. with the exception of the 4" and 6" Gasket x Spigot 45° Elbows which are manufactured by Harco Fittings LLC, a division of IPEX Inc.

Accompanying figures are to aid identification of the configuration in a general way and do not necessarily indicate exact form. "Molded" fitting, indicated by Style "M", are injection molded. Fittings of Style "MA" are assembled from molded and molded or extruded components.

CALL FOR OTHER CONFIGURATIONS

TEE					19
(G x G x G)	ı				
SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
4	18PR-120404	-	ı	М	\$567.09
6 x 4	18PR-120604	-	-	М	\$1,234.19
6	18PR-120606	-	•	М	\$1,268.49
8 x 4	18PR-120804	-	-	М	\$2,142.04
8 x 6	18PR-120806	-	-	М	\$2,194.01
8	18PR-120808	-	-	М	\$2,243.83
10 x 4	18PR-121004	-	-	М	\$5,335.56
10 x 6	18PR-121006	-	-	М	\$6,268.68
10 x 8	18PR-121008	-	-	М	\$8,502.87
10	18PR-121010	-	-	М	\$7,470.79
12 x 4	18PR-121204	-	-	М	\$6,969.65
12 x 6	18PR-121206	-	-	М	\$8,076.73
12 x 8	18PR-121208	-	-	М	\$9,213.46
12 x 10	18PR-121210	-	-	М	\$10,518.91
12	18PR-121212	_	_	М	\$11,868.45

REPLACEMENT GASKET (SBR Rubber)					0
SIZE	PART NUMBER	CTN QTY	WT EA	STYLE	PRICE
4	18PR-G9504	1	0.2	М	\$69.39
6	18PR-G9506	1	0.2	М	\$85.92
8	18PR-G9508	1	0.3	М	\$120.72
10	18PR-G9510	1	-	М	\$190.71
12	18PR-G9512	1	•	М	\$229.22

Call for replacement gaskets for 4" & 6", GxS 45° Bends

NITRILE (Nitrile Rubl	0				
SIZE	PART NUMBER	CTN QTY	WT EA	STYLE	PRICE
4	18PR-G9204	1	0.2	М	\$104.90
6	18PR-G9206	1	0.2	М	\$118.96
8	18PR-G9208	1	0.3	М	\$193.52
10	18PR-G9210	1	-	М	\$302.20
12	18PR-G9212	1	-	М	\$389.29

Call for replacement gaskets for 4" & 6", GxS 45° Bends


TRANSITION GASKET - C900 x IPS (SBR Rubber) (Non-Pressure)					
SIZE	PART NUMBER	CTN QTY	WT EA	STYLE	PRICE
4	18PR-G9604	1	0.3	М	\$162.43
6	18PR-G9606	1	0.4	М	\$200.34
8	18PR-G9608	1	0.5	М	\$246.60
12	18PR-G9612	1	-	М	\$440.93

Call for replacement gaskets for 4" & 6", GxS 45° Bends

**NOTE:** The use of anything but properly designed and installed thrust blocks or mechanical joint restraints will reduce the life of plastic fittings. Thrust blocks must be of poured concrete only and sized for the soil conditions.


STYLE LEGI	END:
M	Molded (stock)

Accompanying figures are to aid identification of the configuration in a general way only and do not necessarily indicate exact form.



90° BE	90° BEND					
(G x S)						
SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE	
4	18PR-1904	-	-	MA	\$468.57	
6	18PR-1906	-	-	MA	\$759.66	
8	18PR-1908	-	-	MA	\$1,561.46	

45° BEN	D				9
(G x G)	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
4	18PR-2204	-	-	М	\$411.62
6	18PR-2206	-	-	М	\$714.12
8	18PR-2208	-	-	М	\$1,359.93
10	18PR-2210	-	-	М	\$3,254.43
12	18PR-2212	-	-	М	\$5,042.13



Call for replacement gaskets for 4" & 6" in this configuration. AWWA C907 qualification pending for 4" & 6".


<b>22½° BE</b> (G x G)	ND				8
SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
4	18PR-2404	-	-	М	\$427.98
6	18PR-2406	-	-	М	\$714.12
8	18PR-2408	-	-	М	\$1,359.93
10	18PR-2410	-	-	М	\$3,242.61
12	18PR-2412	-	-	М	\$5,164.21

<b>22½° BEND</b> (G x S)					
SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
4	18PR-2504	-	-	MA	\$461.63
6	18PR-2506	-	-	MA	\$740.94
8	18PR-2508	-	-	MA	\$1,502.12

CALL FOR OTHER CONFIGURATIONS

STYLE LEGE	ND:
М	Molded (stock)
MA	Assembled from molded or extruded components (Stock)

Accompanying figures are to aid identification of the configuration in a general way only and do not necessarily indicate exact form.





111/4° BEND (G x S) **PART CTN CTN STYLE** SIZE **PRICE NUMBER** QTY WT 6 18PR-2906 MA \$740.94 8 18PR-2908 MA \$1,502.12


Other sizes available in fabricated form per AWWA C900.

REDUCE	:R				8
(S x G)					
SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
6 x 4	18PR-160604	-	-	М	\$679.95
8 x 6	18PR-160806	-	-	M	\$1,155.89
10 x 8	18PR-161008	-	-	M	\$1,710.65
12 x 10	18PR-161210	-	-	М	\$2,351.45

REDUCE	iR				Co
SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
6 x 4	18PR-170604	-	-	MA	\$885.80
8 x 6	18PR-170806	-	-	MA	\$1,411.73
10 x 8	18PR-171008	-	-	MA	\$3,695.94
12 x 10	18PR-171210	-	-	MA	\$4,625.60







STYLE LEGEND:				
М	Molded (stock)			
MA	Assembled from molded or extruded components (Stock)			

CALL FOR OTHER CONFIGURATIONS

18PR-4412

12

## Harco Fittings LLC Price List Pressure DR-18 Gasketed PVC C907 Fittings

**TAPPED PLUG** 


FNPT Thread

Accompanying figures are to aid identification of the configuration in a general way only and do not necessarily indicate exact form.


\$1,456.93

### **PLUG PART CTN CTN** STYLE **SIZE PRICE NUMBER** QTY WT 18PR-4404 М \$221.15 4 6 18PR-4406 M \$398.60 8 18PR-4408 Μ \$677.18 10 18PR-4410 \$1,082.80 M

SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
4 x ¾	18PR-450403	-	-	M	\$364.61
4 x 1	18PR-450404	-	-	M	\$364.61
4 x 1½	18PR-450406	-	-	M	\$364.61
4 x 2	18PR-450408	-	-	M	\$364.61
6 x ¾	18PR-450603	-	-	M	\$541.91
6 x 1	18PR-450604	-	-	M	\$541.91
6 x 1½	18PR-450606	-	-	M	\$541.91
6 x 2	18PR-450608	-	-	M	\$541.91
8 x ¾	18PR-450803	-	-	M	\$820.56
8 x 1	18PR-450804	-	-	M	\$820.56
8 x 1½	18PR-450806	-	-	M	\$820.56
8 x 2	18PR-450808	-	_	М	\$820.56



SIZE	NUMBER	QTY	WT	STYLE	PRICE
4 x ¾	18PR-520403	-	-	М	\$537.59
4 x 1	18PR-520404	-	-	М	\$537.59
6 x ¾	18PR-520603	-	-	М	\$934.41
6 x 1	18PR-520604	-	-	М	\$934.41
6 x 1½	18PR-520606	-	-	М	\$934.41
6 x 2	18PR-520608	-	-	М	\$934.41
8 x ¾	18PR-520803	-	-	М	\$1,377.31
8 x 1	18PR-520804	-	-	М	\$1,377.31
8 x 1½	18PR-520806	-	-	М	\$1,377.31
8 x 2	18PR-520808	-	•	М	\$1,377.31
	·				



TAPPED TEE FNPT Thread (G x G)					
SIZE	PART NUMBER	CTN QTY	CTN WT	STYLE	PRICE
6 x 2	18PR-510608	-	-	М	\$934.41
8 x 2	18PR-510808	-	-	M	\$1,377.31

Caps must be concrete thrust blocked only. Do not use mechanical joint restraint as the thrust force will not be transferred through the assembled fitting.

CALL FOR OTHER CONFIGURATIONS

STYLE LEGEND:					
М	Molded (stock)				
MA	Assembled from molded or extruded components (Stock)				

PL-C9B-20250317

## **Conditions of Sale**

**RETURNS:** All returned merchandise must have authorization from Harco. Returned merchandise will only be accepted within one (1) year of the date of invoice. Merchandise must be in new and marketable condition. Freight charges on authorized returns must be prepaid and a restocking charge will be made except for returns resulting from shipping errors on our part or material proven to be defective.

CLAIMS: All claims for damage or shortage in transit shall be handled with the carrier by the consignee.

**LIMITED GUARANTEE:** The Harrington Corporation (Seller) guarantees to credit against invoice price or, at its option, to furnish, but not to install, replacement parts of like kind, F.O.B. Seller's manufacturing plant of origin, any item of its manufacture proved to be defective in material or workmanship within one (1) year from date of shipment provided Buyer (or Purchaser) gives immediate written notice of such alleged defect and, if required, returns defective item to Seller's Lynchburg, Virginia plant freight prepaid. Items or components not of Seller's manufacture are not included in the foregoing guarantee but are subject only to any warranty of their respective manufacturers. Seller shall not be liable for the cost of any repairs or work done or materials used by the Buyer because of defective or non-conforming items, unless authorized in writing by Seller. IN NO EVENT SHALL SELLER BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES CAUSED BY BREACH OF THIS GUARANTEE unless applicable federal or state law forbids exclusion of incidental or consequential damages.

WARRANTIES: EXCEPT FOR THE ABOVE "GUARANTEE," SELLER MAKES NO EXPRESS WARRANTIES AND NO IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE AS TO PRODUCTS SOLD BY US, UNLESS APPLICABLE FEDERAL OR STATE LAW FORBIDS SUCH DISCLAIMER OF WARRANTIES. TO THE EXTENT THAT APPLICABLE FEDERAL OR STATE LAW FORBIDS THE DISCLAIMER OF IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE, SUCH IMPLIED WARRANTIES ARE LIMITED TO THE SAME DURATION (ONE YEAR) AS SELLER'S ABOVE GUARANTEE. NO WAIVER, ALTERATION, OR MODIFICATION OF THIS DISCLAIMER OF WARRANTIES SHALL BE VALID UNLESS MADE IN WRITING AND SIGNED BY AN EXECUTIVE OFFICER OF SELLER.

**PRICES:** Subject to change without notice. Possession of price sheets does not constitute an obligation to sell and orders may be refused without cause.

**SUITABILITY:** Contact with corrosive soils or carried water may require the use of protective measures for metallic components. It is the responsibility of the Buyer to determine both the need for protective measures and type of protective measures required. Buyer is solely responsible for the effectiveness of protective measures used.





## ENGINEERED FOR DURABILITY