

Harco Fittings LLC Price List

PHILMAC[®] 3G[™] CTS-OD Compression Fittings
CTS-OD Fittings for AWWA C901/ASTM D2737 PE and
AWWA C904/ASTM F876 PEX Water Service Pipe



ENGINEERED FOR DURABILITY

Harco Fittings LLC Price List

PHILMAC® 3G™ CTS-OD Compression Fittings

Table of Contents

Couplings	1
Adapters	1
Elbows	2
Tees	2
Caps and Plugs	3
Copper Tube Adapters	3
IPS-ID Joint Kits	4
IPS-OD Joint Kits	4
CTS Joint Kits	4
CTS Joint Seals	5
CTS Joint Grip Rings	5
Wrenches	5
Conditions of Sale	(Back Cover)

NOTES


- 230 psi Pressure Rating
- Compatible Pipe:
 - PE: ASTM D2737, AWWA C901 (CTS)
 - PEX: ASTM F876, AWWA C904
- Compatible SDR's: 7.3, 9, 11
- Independent listing with ICC Evaluation Service (ICC-ES PMG Product Certificate: PMG-1253) for compliance with:
 - NSF61
 - CSA B137.1
 - UPC
 - IPC
 - IRC
 - NPC


CAUTION: Philmac® 3G™ does not recommend or warrant the use of 3G Compression Fittings "inside the building" or for "hot water" applications


Harco Fittings LLC Price List

PHILMAC® 3G™ CTS-OD Compression Fittings


CTS-OD Fittings for AWWA C901/ASTM D2737 PE and AWWA C904/ASTM F876 PEX Water Service Pipe


Coupling w/ Stop Compression x Compression 	SIZE	PART NUMBER	CTN QTY	WT EACH	LIST PRICE
	¾ x ¾	75-10833	150	0.20	\$15.24
	1 x 1	75-10844	90	0.26	\$19.10
	1¼ x 1¼	75-10855	65	0.45	\$27.95
	1½ x 1½	75-10866	35	0.73	\$45.86
	2 x 2	75-10888	24	1.14	\$56.71

Repair Coupling (no Stop) Compression x Compression 	SIZE	PART NUMBER	CTN QTY	WT EACH	LIST PRICE
	¾ x ¾	75-10933	150	0.20	\$15.24
	1 x 1	75-10944	90	0.26	\$19.10
	1¼ x 1¼	75-10955	65	0.45	\$27.95
	1½ x 1½	75-10966	35	0.73	\$45.86
	2 x 2	75-10988	24	1.14	\$56.71

Reducer Coupling Compression x Compression 	SIZE	PART NUMBER	CTN QTY	WT EACH	LIST PRICE
	1 x ¾	75-11743	120	0.23	\$17.17
	1¼ x 1	75-11754	70	0.39	\$23.22
	1½ x 1¼	75-11765	40	0.84	\$45.53
	* 2 x 1½	75-11786		1.18	\$110.54

* Assembled from subcomponents

Male Adapter Compression x MIPT 	SIZE	PART NUMBER	CTN QTY	WT EACH	LIST PRICE
	¾ x ¾	75-13033	240	0.12	\$11.06
	1 x ¾	75-13043	150	0.16	\$13.45
	1 x 1	75-13044	150	0.17	\$13.90
	1¼ x 1	75-13054	90	0.28	\$17.44
	1¼ x 1¼	75-13055	90	0.29	\$19.15
	1½ x 1¼	75-13065	55	0.44	\$27.62
	1½ x 1½	75-13066	55	0.45	\$28.06
	2 x 1½	75-13086	35	0.66	\$32.84
2 x 2	75-13088	32	0.67	\$33.31	

Female Adapter Compression x FIPT 	SIZE	PART NUMBER	CTN QTY	WT EACH	LIST PRICE
	¾ x ¾	75-13233	220	0.13	\$19.87
	1 x ¾	75-13243	150	0.18	\$20.99
	1 x 1	75-13244	130	0.18	\$21.29
	1¼ x 1	75-13254	80	0.29	\$26.55
	1¼ x 1¼	75-13255	75	0.29	\$45.05
	1½ x 1¼	75-13265	50	0.45	\$42.41
	1½ x 1½	75-13266	50	0.47	\$61.88
	2 x 2	75-13288	35	0.73	\$82.48


NOTE: Reducing threads may be achieved with Schedule 40 PVC bushings. If a Schedule 80 PVC bushing is required, please add a "G" to end of the part# and a price will be provided at time of order *Call for other configurations*


CAUTION: Philmac® 3G™ does not recommend or warrant the use of 3G Compression Fittings "inside the building" or for "hot water" applications

Harco Fittings LLC Price List


PHILMAC[®] 3G[™] CTS-OD Compression Fittings

CTS-OD Fittings for AWWA C901/ASTM D2737 PE and AWWA C904/ASTM F876 PEX Water Service Pipe


90 Degree Elbow Compression x Compression 	SIZE	PART NUMBER	CTN QTY	WT EACH	LIST PRICE
		¾ x ¾	75-11833	140	0.21
	1 x 1	75-11844	80	0.29	\$18.96
	1¼ x 1¼	75-11855	50	0.50	\$28.55
	1½ x 1½	75-11866	30	0.80	\$50.58
	2 x 2	75-11888	18	1.21	\$67.06

90 Degree Elbow Compression x FIPT 	SIZE	PART NUMBER	CTN QTY	WT EACH	LIST PRICE
		¾ x ¾	75-12033	190	0.14
	1 x ¾	75-12043	120	0.18	\$27.84
	1 x 1	75-12044	110	0.21	\$24.49
	1¼ x 1	75-12054	75	0.31	\$28.70
	1¼ x 1¼	75-12055	70	0.33	\$43.40
	1½ x 1¼	75-12065	45	0.50	\$45.22
	1½ x 1½	75-12066	45	0.52	\$44.42
	2 x 2	75-12088	26	0.96	\$81.58

NOTE: Reducing threads may be achieved with Schedule 40 PVC bushings. If a Schedule 80 PVC bushing is required, please add a "G" to end of the part# and a price will be provided at time of order.

Tee Compression x Compression 	SIZE	PART NUMBER	CTN QTY	WT EACH	LIST PRICE
		¾ x ¾ x ¾	75-112333	90	0.31
	1 x 1 x 1	75-112444	50	0.43	\$25.58
	1¼ x 1¼ x 1¼	75-112555	30	0.73	\$39.64
	1½ x 1½ x 1½	75-112666	18	1.19	\$69.07
	* 2 x 2 x 2	75-112888	1	1.97	\$113.92

* Assembled from Service Tee and Male Adapter. Call for Reducing Tees.

Service Tee Compr x Compr x FIPT 	SIZE	PART NUMBER	CTN QTY	WT EACH	LIST PRICE
		¾ x ¾ x ¾	75-151333	110	0.24
	1 x 1 x ¾	75-151443	60	0.33	\$38.29
	1 x 1 x 1	75-151444	60	0.35	\$30.59
	1¼ x 1¼ x 1	75-151554	40	0.55	\$59.98
	1¼ x 1¼ x 1¼	75-151555	35	0.57	\$52.01
	1½ x 1½ x 1¼	75-151665	20	0.92	\$77.86
	1½ x 1½ x 1½	75-151666	20	0.98	\$78.08
	2 x 2 x 2	75-151888	15	1.39	\$80.62


NOTE: Reducing threads may be achieved with Schedule 40 PVC bushings. If a Schedule 80 PVC bushing is required, please add a "G" to end of the part# and a price will be provided at time of order.


CAUTION: Philmac[®] 3G[™] does not recommend or warrant the use of 3G Compression Fittings "inside the building" or for "hot water" applications

Harco Fittings LLC Price List


PHILMAC[®] 3G[™] CTS-OD Compression Fittings


CTS-OD Fittings for AWWA C901/ASTM D2737 PE and AWWA C904/ASTM F876 PEX Water Service Pipe


End Cap Compression 	SIZE	PART NUMBER	CTN QTY	WT EACH	LIST PRICE
	3/4	75-1493	250	0.11	\$10.68
	1	75-1494	160	0.15	\$13.43
	1 1/4	75-1495	100	0.25	\$19.03
	1 1/2	75-1496	55	0.42	\$21.88
	2	75-1498	35		\$65.08

Plug 	SIZE	PART NUMBER	CTN QTY	WT EACH	LIST PRICE
	1 / 3	75-6983	250	0.08	\$5.42
	1 1/4 / 4	75-6984	180	0.10	\$6.44
	1 1/2 / 5	75-6985	150	0.10	\$7.57

NOTE: Remove nut, seal, and grip ring. Insert plug. Reinstall nut to secure plug. Seal and grip ring not required.

CTS x Kitec/XPA/Qline Coupling Compression x Compression 	SIZE	PART NUMBER	CTN QTY	WT EACH	LIST PRICE
	1/2 x 1/2	75-45922	240	0.20	\$25.89
	3/4 x 3/4	75-45933	120	0.20	\$27.35
	1 x 1	75-45944	70	0.40	\$40.05

Transition Coupling CTS-PE x IPS-PVC/PE Compression x Compression 	SIZE	PART NUMBER	CTN QTY	WT EACH	LIST PRICE
	2	75-10788	-	-	\$130.21

CTS x Copper Coupling Compression x Compression 	SIZE	PART NUMBER	CTN QTY	WT EACH	LIST PRICE
	3/4 x 3/4	75-15833	120	0.23	\$35.04
	1 x 1	75-15844	70	0.39	\$44.42


Call for other configurations

CAUTION: Philmac[®] 3G[™] does not recommend or warrant the use of 3G Compression Fittings "inside the building" or for "hot water" applications


Harco Fittings LLC Price List

PHILMAC® 3G™ CTS-OD Compression Fittings


CTS-OD Fittings for AWWA C901/ASTM D2737 PE and AWWA C904/ASTM F876 PEX Water Service Pipe

Copper Tube Adapter For gripping copper pipe 	SIZE	PART NUMBER	CTN QTY	WT EACH	LIST PRICE
	¾	75-6943	150	0.09	\$17.86
	1	75-6944	100	0.14	\$21.19


NOTE: Use Copper Tube Adapter in next larger size CTS compression end.

IPS-ID Joint Kit 	SIZE	PART NUMBER	CTN QTY	WT EACH	LIST PRICE
	¾	75-6873	220	0.11	\$15.54
	1	75-6874	140	0.18	\$18.81
	1¼	75-6875	70	0.31	\$20.30

NOTE: Use IPS-ID Joint Kit in next larger size CTS compression end.

IPS-OD Joint Kit 	SIZE	PART NUMBER	CTN QTY	WT EACH	LIST PRICE
	¾	75-6953	250	0.10	\$5.81
	1	75-6954	150	0.20	\$9.61
	1¼	75-6955	80	0.20	\$16.38

NOTE: Use IPS-OD Joint Kit in next larger size CTS compression end.

CTS Joint Kit 	SIZE	PART NUMBER	CTN QTY	WT EACH	LIST PRICE
	¾	75-6963	400	0.10	\$5.90
	1	75-6964	250	0.10	\$9.12
	1¼	75-6965	150	0.20	\$15.55
	1½	75-6966	80	0.30	\$18.92
	2	75-6968	50	0.40	\$21.33

Call for other configurations

CAUTION: Philmac® 3G™ does not recommend or warrant the use of 3G Compression Fittings "inside the building" or for "hot water" applications


Harco Fittings LLC Price List

PHILMAC® 3G™ CTS-OD Compression Fittings

CTS-OD Fittings for AWWA C901/ASTM D2737 PE and
 AWWA C904/ASTM F876 PEX Water Service Pipe

CTS Joint Seals	SIZE	PART NUMBER	BAG QTY	WT EACH	LIST PRICE
	¾	75-6963-1B	10	-	\$26.33
1	75-6964-1B	10	-	\$34.71	
1¼	75-6965-1B	10	-	\$51.44	
1½	75-6966-1B	10	-	\$60.19	
2	75-6968-1B	10	-	\$66.45	

CTS Joint Grip Rings	SIZE	PART NUMBER	BAG QTY	WT EACH	LIST PRICE
	¾	75-6963-2B	10	-	\$55.22
1	75-6964-2B	10	-	\$79.40	
1¼	75-6965-2B	10	-	\$127.66	
1½	75-6966-2B	10	-	\$152.90	
2	75-6968-2B	10	-	\$170.97	

Installation Wrench	SIZE	PART NUMBER	CTN QTY	WT EACH	LIST PRICE
		1	75-3023	1	0.30
	1¼	75-3024	1	0.30	\$79.95
	1½	75-602BC	1	0.30	\$84.56
	2	75-3026	1	0.30	\$79.95

Call for other configurations

CAUTION: Philmac® 3G™ does not recommend or warrant the use of 3G Compression Fittings "inside the building" or for "hot water" applications

Harco Fittings LLC Price List

PHILMAC[®] 3G[™] CTS-OD Compression Fittings

Conditions of Sale

RETURNS: All returned merchandise must have authorization from Harco. Returned merchandise will only be accepted within one (1) year of the date of invoice. Merchandise must be in new and marketable condition. Freight charges on authorized returns must be prepaid and a restocking charge will be made except for returns resulting from shipping errors on our part or material proven to be defective.

CLAIMS: All claims for damage or shortage in transit shall be handled with the carrier by the consignee.

LIMITED GUARANTEE: Harco Fittings LLC (Seller) guarantees to credit against invoice price or, at its option, to furnish, but not to install, replacement parts of like kind, F.O.B. Seller's manufacturing plant of origin, any item of its manufacture proved to be defective in material or workmanship within one (1) year from date of shipment provided Buyer (or Purchaser) gives immediate written notice of such alleged defect and, if required, returns defective item to Seller's Lynchburg, Virginia plant freight prepaid. Items or components not of Seller's manufacture are not included in the foregoing guarantee but are subject only to any warranty of their respective manufacturers. Seller shall not be liable for the cost of any repairs or work done or materials used by the Buyer because of defective or non-conforming items, unless authorized in writing by Seller. IN NO EVENT SHALL SELLER BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES CAUSED BY BREACH OF THIS GUARANTEE unless applicable federal or state law forbids exclusion of incidental or consequential damages.

WARRANTIES: EXCEPT FOR THE ABOVE "GUARANTEE," SELLER MAKES NO EXPRESS WARRANTIES AND NO IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE AS TO PRODUCTS SOLD BY US, UNLESS APPLICABLE FEDERAL OR STATE LAW FORBIDS SUCH DISCLAIMER OF WARRANTIES. TO THE EXTENT THAT APPLICABLE FEDERAL OR STATE LAW FORBIDS THE DISCLAIMER OF IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE, SUCH IMPLIED WARRANTIES ARE LIMITED TO THE SAME DURATION (ONE YEAR) AS SELLER'S ABOVE GUARANTEE. NO WAIVER, ALTERATION, OR MODIFICATION OF THIS DISCLAIMER OF WARRANTIES SHALL BE VALID UNLESS MADE IN WRITING AND SIGNED BY AN EXECUTIVE OFFICER OF SELLER.

PRICES: Subject to change without notice. Possession of price sheets does not constitute an obligation to sell and orders may be refused without cause.

SUITABILITY: Contact with corrosive soils or carried water may require the use of protective measures for metallic components. It is the responsibility of the Buyer to determine both the need for protective measures and type of protective measures required. Buyer is solely responsible for the effectiveness of protective measures used.



ENGINEERED FOR DURABILITY